



## HPL Doors Featuring Aluminum Frames



Smart Door  
Systems





Healthcare-Grade  
Durability

Prestige Industries manufactures doors constructed with HPL compact laminate, featuring architectural aluminum frames designed for environments where hygiene, safety, and durability are essential. Each system is meticulously engineered to deliver exceptional strength, low maintenance, and a contemporary aesthetic that enhances any space.

Our doors provide an ideal solution for hospitals, clinics, laboratories, offices, schools, and high-traffic facilities that require reliable and long-lasting materials.

Robust solutions for hospitals,  
clinics, and high-traffic  
environments.






*Elegance, resilience, and minimal upkeep.*

TECHNICAL SPECIFICATIONS	
<b>CORROSION-RESISTANT:</b>	ALUMINUM IS RESISTANT TO RUST, RENDERING IT SUITABLE FOR OUTDOOR APPLICATIONS OR ENVIRONMENTS WITH ELEVATED HUMIDITY LEVELS.
<b>EXTENDED SERVICE LIFE:</b>	DUE TO ITS DURABILITY AND MINIMAL MAINTENANCE REQUIREMENTS, IT PRESERVES ITS AESTHETIC AND OPERATIONAL QUALITIES OVER TIME.
<b>LIVELINESS AND FLUIDITY OF MOTION:</b>	ITS LIGHTWEIGHT DESIGN ENABLES SILENT OPENING AND CLOSING, THEREBY MINIMIZING WEAR ON HINGES AND HARDWARE.
<b>ADAPTABLE AND CONTEMPORARY DESIGN:</b>	AVAILABLE IN VARIOUS FINISHES AND COLORS. SEAMLESSLY INTEGRATES INTO BOTH CONTEMPORARY AND TRADITIONAL STYLES.
<b>SUSTAINABLE AND RECYCLABLE:</b>	CRAFTED FROM SUSTAINABLE MATERIALS THAT PROMOTE ENVIRONMENTAL STEWARDSHIP.



## EXPANDABLE ALUMINUM FRAMEWORK

An extendable door frame engineered to accommodate varying wall thicknesses. These frames feature sliding segments that can be adjusted for extension or retraction as required. They are particularly suitable for scenarios where opening dimensions may fluctuate, offering enhanced installation flexibility.




### PRIMARY ADVANTAGES:

<b>ADAPTABILITY</b>	IT FACILITATES ADAPTATION TO VARYING WALL THICKNESSES WITHOUT NECESSITATING MODIFICATIONS TO THE STRUCTURE.
<b>FLEXIBILITY</b>	IT ENABLES THE INSTALLATION OF DOORS IN AREAS WITH DIVERSE DIMENSIONS.
<b>VERSATILITY</b>	IT IS COMPATIBLE WITH VARIOUS TYPES OF DOORS, INCLUDING WOODEN, HPL, PLYWOOD, ALUMINUM, AND OTHER SPECIALIZED DOORS.
<b>INSTALLATION SIMPLICITY</b>	THE ADJUSTMENT SYSTEM FACILITATES RAPID AND STRAIGHTFORWARD INSTALLATION ON-SITE.
<b>CONSTRUCTED FROM ROBUST ALUMINUM</b>	1.9 MM
<b>FINISH</b>	MATTE, ANODIZED, OR LACQUERED
<b>WALL DIMENSIONS</b>	FROM 90 TO 235 MM IN THICKNESS IN EXTENDABLE.



## DOOR FRAMEWORK



[VIEW MORE](#)

